From: Gray, Bryan

Sent: Sunday, September 03, 2017 3:30 PM

To: Superales, Jennifer; Mason, Steve

Subject: FW: FEMA R6_TS_Harvey_RSP#12_DRAFT_9-3-2017.docx

Jennifer,

Please see below:

Bottom line: no operational concerns that they can't overcome internally.

Respectfully,

Bryan

Bryan Gray
Protective Security Advisor
U.S. Department of Homeland Security
Office of Infrastructure Protection
Protective Security Coordination Division
North Texas District

Cell: 202-597-4517 Bryan.Gray@hq.dhs.gov



(U) Warning: This document is UNCLASSIFIED//FOR OFFICIAL USE ONLY (U//FOUO). It contains information that may be exempt from public release under the Freedom of Information Act (5 U.S.C. 552). It is to be controlled, stored, handled, transmitted, distributed, and disposed of in accordance with DHS policy relating to FOUO information and is not to be released to the public, the media, or other personnel who do not have a valid need-to-know without prior approval of an authorized DHS official. State and local homeland security officials may share this document with authorized security personnel without further approval from DHS.

For free tools and resources visit: https://www.dhs.gov/hometown-security

To report suspicious activity in Texas, go to: https://iwatchtx.org

From: Cary, Richard

Sent: Sunday, September 3, 2017 3:29 PM

To: Gray, Bryan; Perceful, Shawn; Macha, Michael; Johnston, Chad; Otten, Edwin

Cc: IP Region 6 Ops; Hamilton, Charles (Buck)

Subject: RE: FEMA R6 TS Harvey RSP#12 DRAFT 9-3-2017.docx

The BASF Freeport Site continues normal operations and at this time they are working to support employees that have been displaced by the flooding. Flooding in some areas is beginning to stabilize although a long receding of waters is expected.

The PIO advised they had received multiple other inquiries like this since yesterday and are not sure what the source of the information is.

Bottom line, no operational concerns that they can't overcome internally.

Thanks Rick

From: Gray, Bryan

Sent: Sunday, September 3, 2017 2:52 PM

To: Cary, Richard; Perceful, Shawn; Macha, Michael; Johnston, Chad; Otten, Edwin

Cc: IP Region 6 Ops; Hamilton, Charles (Buck)

Subject: RE: FEMA R6_TS_Harvey_RSP#12_DRAFT_9-3-2017.docx

Appreciate Rick. FEMA just wants to know if the facility is still concerned about the rising waters in Brazoria County and do they think it may affect them in the near future.

Respectfully,

Bryan

Bryan Gray
Protective Security Advisor
U.S. Department of Homeland Security
Office of Infrastructure Protection
Protective Security Coordination Division
North Texas District

Cell: 202-597-4517 Bryan.Gray@hq.dhs.gov



(U) Warning: This document is UNCLASSIFIED//FOR OFFICIAL USE ONLY (U//FOUO). It contains information that may be exempt from public release under the Freedom of Information Act (5 U.S.C. 552). It is to be controlled, stored, handled, transmitted, distributed, and disposed of in accordance with DHS policy relating to FOUO information and is not to be released to the public, the media, or other personnel who do not have a valid need-to-know without prior approval of an authorized DHS official. State and local homeland security officials may share this document with authorized security personnel without further approval from DHS.

For free tools and resources visit: https://www.dhs.gov/hometown-security

To report suspicious activity in Texas, go to: https://iwatchtx.org

From: Cary, Richard

Sent: Sunday, September 3, 2017 2:50 PM

To: Gray, Bryan; Perceful, Shawn; Macha, Michael; Johnston, Chad; Otten, Edwin

Cc: IP Region 6 Ops; Hamilton, Charles (Buck)

Subject: RE: FEMA R6_TS_Harvey_RSP#12_DRAFT_9-3-2017.docx

Freeport's PIO will return my call shortly. I don't believe this is a production issue. I'll clear it up shortly.

Rick

From: Gray, Bryan

Sent: Sunday, September 3, 2017 2:41 PM

To: Perceful, Shawn; Cary, Richard; Macha, Michael; Johnston, Chad; Otten, Edwin

Cc: IP Region 6 Ops; Hamilton, Charles (Buck)

Subject: RE: FEMA R6_TS_Harvey_RSP#12_DRAFT_9-3-2017.docx

It still does not answer the question...

 BASF (chemical) Plant in Freeport (SW of Houston/Galveston): Continue to prepare for anticipated flooding as Lake Jackson's water level rises. (TX SITREP #12).

Are they still concerned about the rising water levels?

Respectfully,

Bryan

Bryan Gray
Protective Security Advisor
U.S. Department of Homeland Security
Office of Infrastructure Protection
Protective Security Coordination Division
North Texas District

Cell: 202-597-4517 Bryan.Gray@hq.dhs.gov



(U) Warning: This document is UNCLASSIFIED//FOR OFFICIAL USE ONLY (U//FOUO). It contains information that may be exempt from public release under the Freedom of Information Act (5 U.S.C. 552). It is to be controlled, stored, handled, transmitted, distributed, and disposed of in accordance with DHS policy relating to FOUO information and is not to be released to the public, the media, or other personnel who do not have a valid need-to-know without prior approval of an authorized DHS official. State and local homeland security officials may share this document with authorized security personnel without further approval from DHS.

For free tools and resources visit: https://www.dhs.gov/hometown-security

To report suspicious activity in Texas, go to: https://iwatchtx.org

From: Perceful, Shawn

Sent: Sunday, September 3, 2017 2:37 PM

To: Cary, Richard; Gray, Bryan; Macha, Michael; Johnston, Chad; Otten, Edwin

Cc: IP Region 6 Ops; Hamilton, Charles (Buck)

Subject: RE: FEMA R6 TS Harvey RSP#12 DRAFT 9-3-2017.docx

Rick,

FYSA from BASF this AM. Tony's contact information is below also.

Shawn

Good morning Shawn,

Here is today's update:

Freeport: planning to 're-open' 09/05, employee assistance kits being staged and distributed from marina area (BASF facility) across from Freeport site – secure area, included in security patrols, requesting law enforcement make periodic checks. Considering placement of temporary housing (trailers) in area of site, as needed. Uniformed staffing expected at full complement for return to normal operations.

Beaumont: No further updates since yesterday, with public water being restored in some areas, as well as power. Status same, including uniformed security coverage; site to re-assess conditions for return to normal operations, plans to stage additional employee kits for those impacted in area.

Port Arthur: Plant maintaining operability; security staffing remains the same. Site still re-assessing ramp up to normal operations, as some processes are returning to normal. Unformed security is positioned to return, once ramp-up is determined. Also planning to distribute employee kits once site status return to normal is established.

Houston sites: Same as yesterday. Continuing distribution of employee kits from Houston Energy Tower; coordinating this distribution to other sites.

No information on the observance / occurrence of criminal activity at or near our sites. We are communicating tips to employees for awareness to scams and illicit requests that may arise.

Tony

Thank you, **Anthony Raffaelli**Regional Security Manager

Phone: 973-245-5618 Mobile: 862-505-0295 Fax: 973-245-6738 E-Mail: anthony.raffaelli@basf.com

Postal Address: BASF Corporation, 100 Park Avenue, Florham Park, New Jersey, 07932

BASF - We create chemistry

Shawn Perceful 202-440-0761 CFATS Region 6

Sr. Chemical Security Inspector CFATS Helpdesk: 866-323-2957

From: Cary, Richard

Sent: Sunday, September 3, 2017 2:33 PM

To: Gray, Bryan; Macha, Michael; Johnston, Chad; Otten, Edwin

Cc: IP Region 6 Ops; Hamilton, Charles (Buck)

Subject: RE: FEMA R6_TS_Harvey_RSP#12_DRAFT_9-3-2017.docx

I can take this since I have contacts there. Soon as I get off this call, I'll run it down.

From: Gray, Bryan

Sent: Sunday, September 3, 2017 2:31 PM

To: Cary, Richard; Macha, Michael; Johnston, Chad; Otten, Edwin

Cc: IP Region 6 Ops; Hamilton, Charles (Buck)

Subject: FW: FEMA R6_TS_Harvey_RSP#12_DRAFT_9-3-2017.docx

Does anyone have anything on the information below?

Respectfully,

Bryan

Bryan Gray
Protective Security Advisor
U.S. Department of Homeland Security
Office of Infrastructure Protection
Protective Security Coordination Division
North Texas District

Cell: 202-597-4517 Bryan.Gray@hq.dhs.gov



(U) Warning: This document is UNCLASSIFIED//FOR OFFICIAL USE ONLY (U//FOUO). It contains information that may be exempt from public release under the Freedom of Information Act (5 U.S.C. 552). It is to be controlled, stored, handled, transmitted, distributed, and disposed of in accordance with DHS policy relating to FOUO information and is not to be released to the public, the media, or other personnel who do not have a valid need-to-know without prior approval of an authorized DHS official. State and local homeland security officials may share this document with authorized security personnel without further approval from DHS.

For free tools and resources visit: https://www.dhs.gov/hometown-security

To report suspicious activity in Texas, go to: https://iwatchtx.org

From: Superales, Jennifer [mailto:Jennifer.Superales@fema.dhs.gov]

Sent: Sunday, September 3, 2017 2:13 PM

To: Gray, Bryan; Steve Mason

Subject: FW: FEMA R6_TS_Harvey_RSP#12_DRAFT_9-3-2017.docx

Bryan/Steve,

Have you heard anything on this matter:

 BASF (chemical) Plant in Freeport (SW of Houston/Galveston): Continue to prepare for anticipated flooding as Lake Jackson's water level rises. (TX SITREP #12).

0

It's from the Texas SITREP for Brazoria County and I just need to confirm this is still in fact an issue of concern?

Thanks!

Jennifer

From: Dugan, Moises

Sent: Sunday, September 03, 2017 1:39 PM

To: Superales, Jennifer; Clark, KennethG; Young, Laverm; landoli, Joseph

Subject: FW: FEMA R6_TS_Harvey_RSP#12_DRAFT_9-3-2017.docx

Looks fine however, I have a few questions.

Is the IOF still active in Louisiana? "IOF (LRO): (2) additional FEMA staff identified by FCO to support; CAP and USAR on standby; Crisis Action Planning for anticipated shortfalls ongoing"

Is the BASF Plant still an "at risk" facility? If so, what is the "at risk" population/impact? "BASF Plant in Freeport (SW of Houston/Galveston): Continue to prepare for anticipated flooding (TX SITREP #12)."

Is there a list of impacted critical Federal facilities, which we are monitoring? If so what is our specific role with each? "Monitor status of federal departments and agencies within the impacted area (through Federal Executive Boards)."

-Moises-

Moises Dugan Deputy Regional Administrator FEMA Region 6 940.898.5312



From: Superales, Jennifer

Sent: Sunday, September 03, 2017 1:07 PM

To: Dugan, Moises; Clark, KennethG; Young, Laverm; Weathers, Kent; Grigg, Travis; landoli, Joseph

Subject: FEMA R6_TS_Harvey_RSP#12_DRAFT_9-3-2017.docx

All;

For your review, draft RSP#12 for tomorrow's O-Period...Please provide any comments prior to 1400.

Thank you!

Jennifer-PSS